

## PATENT COOPERATION TREATY

From the INTERNATIONAL BUREAU

**PCT****COMMUNICATION IN CASES FOR WHICH  
NO OTHER FORM IS APPLICABLE**

To:

SIMONSEN, Christian, Rosendal  
Internationalt Patent-Bureau  
Høje Taastrup Boulevard 23  
DK-2630 Taastrup  
DANEMARK

Date of mailing ( <i>day/month/year</i> ) 27 January 2000 (27.01.00)	
Applicant's or agent's file reference IPB/26505	<b>REPLY DUE</b> see paragraph 1 below
International application No. PCT/DK99/00612	International filing date ( <i>day/month/year</i> ) 09 November 1999 (09.11.99)
Applicant NIRO A/S	

1. ☐ REPLY DUE within \_\_\_\_\_ months/days from the above date of mailing
- ☐ NO REPLY DUE, however, see below
- ☒ IMPORTANT COMMUNICATION
- ☐ INFORMATION ONLY

## 2. COMMUNICATION:

The applicant in respect of the above-identified international application is notified that the receiving Office (RO/DK) has informed the International Bureau (WO) that an erroneous filing date was stamped on the first page of the Request Form PCT/RO/101.

Please correct all notifications previously sent by the International Bureau (WO) to indicate the correct filing date of **09 November 1999 (09.11.99)** instead of 10 November 1999 (10.11.99).

A copy of this notification has been sent to the receiving Office (RO/DK) and the International Searching Authority (ISA/EP).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Athina Nickitas-Etienne
Facsimile No. (41-22) 740.14.35	Telephone No. (41-22) 338.83.38

## PATENT COOPERATION TREATY

PCT

## NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner  
 US Department of Commerce  
 United States Patent and Trademark  
 Office, PCT  
 2011 South Clark Place Room  
 CP2/5C24  
 Arlington, VA 22202  
 ETATS-UNIS D'AMERIQUE  
 in its capacity as elected Office

<b>Date of mailing</b> (day/month/year) 06 August 2001 (06.08.01)	
<b>International application No.</b> PCT/DK99/00612	<b>Applicant's or agent's file reference</b> IPB/26505
<b>International filing date</b> (day/month/year) 09 November 1999 (09.11.99)	<b>Priority date</b> (day/month/year)
<b>Applicant</b> SØRENSEN, Jens, Mourits et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:

21 May 2001 (21.05.01)

☐ in a notice effecting later election filed with the International Bureau on:
2. The election ☒ was
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer Charlotte ENGER Telephone No.: (41-22) 338.83.38
---	---

## PCT

COPY

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>IPB/26505</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/DK 99/00612</b>	International filing date (day/month/year) <b>10 November 1999</b>	(Earliest) Priority Date (day/month/year)
Applicant <b>Niro A/S et al</b>		

This international search report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This international search report consists of a total of 3 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

1. ☐ Certain claims were found unsearchable (See Box I).
2. ☐ Unity of invention is lacking (See Box II).
3. ☐ The international application contains disclosure of a nucleotide and/or amino acid sequence listing and the international search was carried out on the basis of the sequence listing
  - ☐ filed with the international application.
  - ☐ furnished by the applicant separately from the international application,
    - ☐ but not accompanied by a statement to the effect that it did not include matter going beyond the disclosure in the international application as filed.
  - ☐ transcribed by this Authority.
4. With regard to the title, ☒ the text is approved as submitted by the applicant.
  - ☐ the text has been established by this Authority to read as follows:
5. With regard to the abstract,
  - ☒ the text is approved as submitted by the applicant.
  - ☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.
6. The figure of the drawings to be published with the abstract is:
  - Figure No. 1 ☒ as suggested by the applicant. ☐ None of the figures.
  - ☐ because the applicant failed to suggest a figure.
  - ☐ because this figure better characterizes the invention.

1  
INTERNATIONAL SEARCH REPORT

International application No.

PCT/DK 99/00612

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC7: A23C 1/05, B01D 1/18

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A23C, F26B, B01D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0223509 A2 (DAURYMAN'S COOPERATIVE CREAMERY ASSOCIATION), 27 May 1987 (27.05.87), page 3, line 52 - page 4, line 4; page 5, line 19 - line 25; page 5, line 55 - page 6, line 31 --	1-6
A	EP 0378498 A1 (A/S NIRO ATOMIZER), 18 July 1990 (18.07.90), abstract --	1-6
A	US 5782010 A (A.C. BOERSEN ET AL), 21 July 1998 (21.07.98), column 4, line 63 - column 5, line 12; column 9, line 33 - line 54 --	1-6

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance  
 "E" earlier document but published on or after the international filing date  
 "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  
 "O" document referring to an oral disclosure, use, exhibition or other means  
 "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

20 July 2000

Date of mailing of the international search report

14.08.00

Name and mailing address of the ISA/  
European Patent Office

Authorized officer

Facsimile No.

Inger Löfgren / MRo  
Telephone No.

2  
INTERNATIONAL SEARCH REPORT

International application No.  
PCT/DK 99/00612

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 9112074 A1 (APV PASILAC ANHYDRO AS), 22 August 1991 (22.08.91)  --	1-6
A	WO 9714288 A2 (NIRO A/S), 24 April 1997 (24.04.97), abstract  --	1-6
A	EP 0097484 A1 (A/S NIRO ATOMIZER), 4 January 1984 (04.01.84), abstract  --	1-6
A	US 5446974 A (S.A. GUBLER), 5 Sept 1995 (05.09.95), abstract  -- -----	1-6

# INTERNATIONAL SEARCH REPORT

Information on patent family members

55911

International application No.

02/12/99

PCT/DK 99/00612

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0223509 A2	27/05/87	AU 578380 B AU 6488086 A CA 1269828 A DK 531286 A FI 85950 B,C FI 864496 A JP 62190042 A NZ 218108 A US 4657767 A	20/10/88 14/05/87 05/06/90 08/05/87 13/03/92 08/05/87 20/08/87 29/04/88 14/04/87
EP 0378498 A1	18/07/90	AU 623967 B AU 4776390 A DK 6889 A DK 160809 B,C IE 62024 B JP 3065233 A NZ 231952 A US 5100509 A	28/05/92 12/07/90 10/07/90 22/04/91 14/12/94 20/03/91 25/09/91 31/03/92
US 5782010 A	21/07/98	AU 684099 B AU 684420 B AU 5592696 A AU 5592796 A EP 0749769 A EP 0749770 A NL 1000611 C NL 1002909 C NZ 286837 A NZ 286838 A US 5782011 A	04/12/97 11/12/97 09/01/97 09/01/97 27/12/96 27/12/96 00/00/00 00/00/00 24/06/97 26/02/98 21/07/98
WO 9112074 A1	22/08/91	AT 98521 T AU 7258991 A DE 9117284 U DE 69100807 D,T DK 39890 D DK 515478 T EP 0515478 A,B	15/01/94 03/09/91 15/07/99 05/05/94 00/00/00 25/04/94 02/12/92
WO 9714288 A2	24/04/97	AU 1871297 A DK 9700078 U	07/05/97 09/05/97
EP 0097484 A1	04/01/84	DK 157053 B DK 267082 A US 4490403 A	06/11/89 15/12/83 25/12/84
US 5446974 A	05/09/95	AU 2394495 A CA 2218757 A EP 0859658 A JP 10507968 T WO 9633793 A	18/11/96 31/10/96 26/08/98 04/08/98 31/10/96

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
17 May 2001 (17.05.2001)

PCT

(10) International Publication Number  
**WO 01/33971 A1**

(51) International Patent Classification: A23C 1/05,  
B01D 1/18

Grønlund [DK/DK]; Christiansgave 6, DK-2960 Rungsted  
Kyst (DK).

(21) International Application Number: PCT/DK99/00612

(74) Agents: SIMONSEN, Christian, Rosendal et al.; In-  
ternationalt Patent-Bureau, Høje Taastrup Boulevard 23,  
DK-2630 Taastrup (DK).

(22) International Filing Date:  
9 November 1999 (09.11.1999)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (for all designated States except US): NIRO A/S  
[DK/DK]; Gladsaxevej 305, DK-2860 Søborg (DK).

(81) Designated States (national): AE, AL, AM, AT, AT (uti-  
lity model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN,  
CR, CU, CZ, CZ (utility model), DE, DE (utility model),  
DK, DK (utility model), DM, EE, EE (utility model), ES,  
FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID,  
IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,  
LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL,  
PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL,  
TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(72) Inventors; and

(75) Inventors/Applicants (for US only): SØRENSEN, Jens,  
Mourits [DK/DK]; Skovridergårdsvej 7, DK-2830 Virum  
(DK). HANSEN, Ove, Emil [DK/DK]; Ravnsholtvej 22,  
DK-3450 Allerød (DK). SCHOLTEN, Martin, Andreas,

(84) Designated States (regional): ARIPO patent (GH, GM,  
KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent

[Continued on next page]

(54) Title: A PROCESS FOR PRODUCING A SPRAY DRIED, AGGLOMERATED POWDER OF BABY FOOD, WHOLE-MILK  
OR SKIM-MILK, AND SUCH POWDER



(57) Abstract: Concentrates of baby food, whole-milk and skim-milk are spray dried to produce agglomerated powders having low content of grains as defined herein. High-quality products are obtained by avoiding re-wetting process steps by using flexible internal filters delivering a compact flow of fine particles to the section in the lower portion of the spray dryer where the possibilities are optimal for contact with moist particles of suitable moisture content and the risk for contact with wet droplets and hot drying air is small.

WO 01/33971 A1

NO 01/33971 A1



(AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**Published:**

— *With international search report.*



A process for producing a spray dried, agglomerated powder of baby food, whole-milk or skim-milk, and such powder.

5 Field of the invention

The present invention relates to spray drying of milk products, more specifically whole-milk, skim-milk and baby food products of the types termed infant formula and follow-up formula.

10

Background of the invention

Several processes are known for spray drying in which the resulting particles are agglomerated in the very spray drying step or in subsequent steps combined  
15 therewith.

The present invention relates to the type of processes in which the liquid concentrates to be spray dried are atomized into a stream of hot drying gas in a spray drying chamber, and the particles formed  
20 thereby treated further in a fluidized bed maintained in the bottom portion of the drying chamber. The product recovered from said fluidized bed may be subjected to an after-treatment in a fluidized bed outside the drying chamber.

25 By such a drying system, often termed Multi Stage Drying (MSD<sup>TM</sup>), much more efficiently agglomerated powders can be obtained than in the prior "straight through" system having no fluidized bed in the drying chamber, i.e. because the existence of the fluidized  
30 bed in the bottom of the spray drying chamber permits higher average humidity also in the upper portion of the chamber and the system may be operated to have a substantial amount of fine particles blown off from the fluidized layer and reintroduced in the wet atomizer  
35 cloud in the upper part of the chamber (EP 97484,

Niro). Furthermore, a certain agglomeration may take place in the fluidized bed itself and, with proper recycling of fines, in zones near the lower part of the chamber walls (EP 729383, Niro).

5 It is also assumed that in spray drying processes performed in drying chambers having rigid internal gas filters an agglomeration may take place between the particles settling on the filter surfaces (WO 97/14288, Niro).

10 In spite of the several possibilities existing for obtaining an agglomeration in connection with the spray drying process it has hitherto been mandatory to apply a certain re-wetting to obtain a product consisting of the desired large agglomerates. The term "re-wetting"  
15 is herein used in a somewhat broader sense than customary within the art of spray drying, and refers to a process in which solid particles are contacted with liquid droplets to create a very sticky surface of the particles hit by the droplets. While the particles are  
20 thus temporarily very sticky they adhere together to form large agglomerates which by drying form rather dense granules which only slowly disintegrate when suspended in water.

Re-wetting with a view of increasing the degree of  
25 agglomeration may be performed as an after-treatment by spraying water or another liquid onto the powder in an external fluidized after-treatment bed, or it may be performed by introducing fine particle fractions into the drying chamber near the location for atomization of  
30 the feed liquid, whereby said particles are hit by the atomized droplets while these are still liquid as it is customary within the art, e.g. in the well-known "straight through" process. Also it is known to use a combination of these two measures as described, inter  
35 alia, in EP 0 705 062. Furthermore, it has been sug-

gested to spray water or feed liquid over the internal fluidized layer in the spraying chamber.

However, the use of re-wetting for agglomeration purposes has certain disadvantages.

5 In case the re-wetting is made not with a portion of the feed liquid to be dried but just with water, as it is customary, the process obviously has an increased energy consumption necessary for evaporating the extra water required for the re-wetting.

10 Within the dairy industries it has been recognized that the products of re-wetting processes may be inferior due to bacteriological contamination and also organoleptic qualities may be impaired.

The present inventors have also experienced that  
15 when agglomerates are produced by processes involving re-wetting in the hot atomizer zone, a special product failure becomes important, when baby foods, whole-milk or skim-milk powders to be re-constituted as drinkable liquids for human consumption are produced. Said  
20 failure, normally termed "grains", manifests itself as very small lumps of powder visible on the walls of a bottle or glass above the level of a liquid having been agitated to disperse the agglomerated powder therein.

Although said grains may be of no importance from  
25 a nutritional point of view, a large amount of grains may by the consumer be regarded as an indication of inferior product quality, for which reason there is a substantial commercial interest in avoiding or reducing the amount of grains. However, the formation of grains  
30 in agglomeration processes recycling fine particles to the atomizer zone is regarded as unavoidable, and may set a maximum limit for the degree of agglomeration used in industrial production.

A further drawback of the prior art processes  
35 involving re-wetting as an after-treatment for obtain-

ing or completing the desired agglomeration is the fact that the operation thereof requires skill and manpower, especially to avoid over-wetting and resulting product deterioration.

5

Summary of the invention

We have now found that it is possible to obtain a high-quality spray dried product of baby food, whole-milk or skim-milk, agglomerated to the desired extent  
10 but showing less grains when reconstituted in water than usual for similarly agglomerated, commercial products. Also other product characteristics are improved, resulting in superior organoleptical properties.

15 The above desired qualities are obtained in a single drying apparatus, possibly followed by a conventional after-drying and cooling.

The invention is partly based on the recognition that improved qualities may be obtained by increasing  
20 the proportion of agglomeration taking place on and along the inner surface of a part of the conical bottom section of a spray drying chamber, thereby substantially reducing the amount of fine particles being re-wetted by contact with droplets in the atomizer zone in  
25 the drying chamber and removing the need for re-wetting the product in the internal or in an external fluidized bed.

Said increase of the proportion of agglomeration taking place on and along the conical bottom section is  
30 obtained by collecting fine particles on suitably placed internal filters, being flexible to enable particle release by a short counter blow of a moderate amount of pressurized air.

In the above cited WO 97/14288, Niro, internal  
35 filters of rigid materials, e.g. sintered metal, are

disclosed. When fine particles collected on such filters have to be efficiently released, it is necessary to apply a very strong counter blow, meaning that a substantial amount of the fine particles released thereby is spread and dispersed into a large part of the chamber volume. In contrast thereto, particles may be released from the flexible filters by a smaller counter blow at lower pressure which does not spread the particles but allow them to fall directly down on the conical section. The reason for this difference is that when particles have to be released from a rigid filter they are influenced directly of the counter blow air and carried away thereby, whereas each portion of a flexible filter itself receives a short movement or dislocation by the impact of a short counter blow whereby release of particles is effected without spreading thereof.

Thus, the invention deals with a process for producing a spray dried baby food, whole-milk or skim-milk product in which process agglomeration is obtained with less simultaneous increase of the grains rate than usual. The process comprising the following steps:

atomizing a liquid concentrate of baby food, whole-milk or skim-milk as droplets centrally into the upper part of a drying chamber of which at least the lower portion is defined by a downward tapering frusto-conical wall;

introducing drying gas at a temperature of 160-400° C downwards from the top of said chamber around the atomized droplets to partially dry these to moist particles and carry them in a downward widening direction;

maintaining a fluidized particle bed at a temperature of 45-80° C in the bottom of the drying chamber and/or in a lower extension thereof, by means of an

upward stream of fluidizing gas for drying, classifying and agglomeration of the particles therein;

withdrawing a stream of gas comprising spent drying gas introduced at the top of the chamber and gas from said fluidized bed and at a temperature of 60-95° C from the chamber through flexible filter elements within said chamber, thereby settling fine particles having been entrained by said stream on the surface of the filter elements;

10 releasing the fine particles settled on the flexible filter elements by short, moderate counter blows to cause them to fall down on the frusto-conical wall at a location at level with or above a horizontal ring-shaped area on said wall where the largest concentration of said moist particles would have reached said wall if no fine particles from the filter elements had fallen down thereon, from which location said fine particles slide downwards along the wall as a covering layer to reach said fluidized particle layer;

20 withdrawing an agglomerated product from the fluidized bed fulfilling one of the following three combinations of agglomerate size distribution and grains rate (determined by the method of analysis described herein):

25

(i):  $D_{10}$  (< 10%): 50-100  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 150-225  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 350-450  $\mu\text{m}$  and grains = 1;

30 (ii):  $D_{10}$  (< 10%): 100-200  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 225-400  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 450-600  $\mu\text{m}$ , and grains above 1 but below or equal to 2;

35 (iii):  $D_{10}$  (< 10%): 200-300  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 400-600  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 600-900  $\mu\text{m}$ , and grains above 2 but below or equal to 3.

The percentages stated in connection with the size distribution limits are by weight.

The above-mentioned grain analysis has been developed by the present inventors and is performed as follows:

**Analysis method for grains**

30 g of powder are added to 200 ml of 40° C water in a beaker. The mixture is stirred slowly for 20 seconds and then left for 5 minutes. The beaker is then tilted, so that the sides are moistened with solution and again placed in upright position. The amount of white spots left on the sides of the beaker is compared with standard photographs to give a rating from 1 (best) to 6.

The present process enables manufacture of products comprising very large agglomerates without having a higher content of grains than found in presently marketed less agglomerated products. Alternatively, products may be manufactured being only moderately agglomerated but containing extremely few grains.

In the present process the produced particles and agglomerates are subjected to substantially less physical handling than in prior art processes involving external separation of fine particles having been entrained in the spent drying gas and recycling thereof to the chamber. This is also one of the reasons why a superior product is obtained.

The invention also comprises an agglomerated spray dried whole or skim-milk or baby food prepared by the defined process and fulfilling one of the following three combinations of agglomerate size distribution and grains rate:

- (i):  $D_{10}$  (< 10%): 50-100  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 150-225  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 350-450  $\mu\text{m}$  and grains = 1;
- 5 (ii):  $D_{10}$  (< 10%): 100-200  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 225-400  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 450-600  $\mu\text{m}$ , and grains: above 1 but below or equal to 2;
- 10 (iii):  $D_{10}$  (< 10%): 200-300  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 400-600  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 600-900  $\mu\text{m}$ , and grains: above 2 but below or equal 3.

It is believed that a spray dried whole-milk, skim-milk or baby food presenting the combination of agglomeration size distribution and low content of  
15 grains specified under (ii) and (iii) above is a novel product, and thus a further feature of the invention is the provision of the products defined in the claims 5 and 6.

The invention is further described with reference  
20 to the drawing.

#### Brief description of the drawing

In the drawing the sole figure very schematically shows a section through a spray drying apparatus with  
25 gas, droplets and particle flow indicated to illustrate the process of the invention.

#### Detailed description of the invention

In the drawing a drying chamber is defined by an  
30 upper cylindrical wall 1 and a lower frusto-conical wall 2. Liquid feed in the form of a concentrate of baby food, whole-milk or skim-milk is provided through conduit 3 and by means of an atomizer 4 injected as droplets into the drying chamber.



The atomizer 4 may be of any conventional construction, such as a rotary atomizer wheel, a 2-fluid nozzle or a pressure nozzle. Preferably, it is a pressure nozzle ejecting the atomized droplets in a path forming a hollow wide cone.

For the sake of simplicity, only one atomizer is shown in the drawing. In industrial production a plurality of nozzles will often be used.

Drying gas is provided through conduit 5 and drying gas disperser 6.

In the bottom of the drying chamber a fluidized layer 7 is maintained between the lowest part of the frusto-conical walls 2 and a cylindrical prolongation thereof. Below the fluidized layer 7 is a perforated plate 8 supplied with fluidizing and drying gas through conduit 9 and plenum 10.

In the top of the drying chamber, filter elements 11 are arranged in a circular pattern through which elements spent drying gas introduced through 6 and 10 and the vapour formed by the drying are withdrawn to a plenum 12 and exhausted through a duct 13.

The integrated filters have to be fairly flexible filters to secure that fines from the surface of the filters are just released and fall straight downwards when the filter blow-back cleaning is performed. This is not possible using fairly rigid filters as the fines release in all directions due to the higher blow-back pressure needed when the filter walls are not moving, as explained above. Such flexible filters are e.g. fabric filters, bag filters of a woven polymer material possibly supported by an inner metal basket, or non-woven felt filters. Such filter materials may be coated or not.

The materials to be spray dried by the process of the invention are all rather heat-sensitive. It is also

well-known in the art, that when using conventional methods especially the manufacture of highly agglomerated products involves a high risk for product failures such as grains. In spite of this, the process of the invention produces a highly agglomerated product with low grain rates, even when the inlet temperature of the drying gas introduced through 6 is between 160 and 400° C. A high drying gas inlet temperature is essential to achieve a good heat economy in the process, and, thus, the improved product qualities are obtained without increase of energy consumption as in certain prior art processes,

The flow of drying gas from 6 influences the flow path of the droplets ejected from the atomizer 4 as schematically illustrated in the drawing.

(It is to be observed that the drawing has been made without regard to a possible swirling movement imparted by the disperser 6.)

When reaching the area shown hatched in the drawing, the flow of drying gas entraining moist particles formed by drying of the droplets has to turn outwards as schematically indicated. Thereby larger particles, including agglomerates, receive a movement towards the conical chamber walls 2 whereas the drying gas with entrained smaller particles moves upwards to the filter elements 11. This movement is supported by an upward gas stream, also entraining small particles, from the fluidized layer 7. When the gas passes through the filter elements, the entrained particles settle on the surface of the filter elements and form a layer thereon.

Sophisticated systems have been developed for releasing the particles from the surface of filter elements by counter-blowing, also termed back-blowing. Reference is made to co-pending International Patent

Application PCT/DK99/00400 (Niro) describing a system for releasing the particles from the filter elements in a uniform, controlled manner creating an even flow of particles falling down on the conical walls 2 in an annular area which in the drawing is somewhat above the hatched area.

Having reached the conical walls, the particles form a layer sliding downwards in direction of the fluidized layer 7.

10 In contrast to conventional systems in which fine particles are re-introduced into the drying chamber by pneumatical means as described for instance in the above EP 729383, Niro, the particles sliding down the conical walls in the present process are not air-borne  
15 and thus form a denser, more compact particle layer with less distance between the individual particles.

When the particle layer sliding down the walls reaches the hatched area they meet the moist particles carried down into said area by the drying gas as  
20 explained above, but is not hit by wet droplets to any substantial extent. This means that excellent conditions exist for efficient agglomeration in said area and the high concentration of particles in the sliding layer efficiently protects the chamber walls against  
25 deposition of sticky particles.

The partly agglomerated particles then slide further down into the fluidized layer 7 for further drying and agglomeration. In the layer 7 also a certain classification takes place, and fine particles and dust  
30 is blown off and agglomerated, some of them after having been separated from the gas by the filter elements 11 and released therefrom to fall down on the chamber wall and pass the hatched agglomeration area.

The products recovered from the layer 7 through  
35 exit 14 are usually subjected to an after-treatment,

e.g. drying and cooling in a fluidized bed. If such an after-treatment creates a fraction of too fine particles, these may be re-introduced in the drying chamber for agglomeration as described in the co-  
5 pending International Patent Applications PCT/DK99/00511 and PCT/DK99/00512 (both to Niro).

It is essential that the positioning of the flexible filter elements 11 in the drying chamber and the release of fine particles therefrom is performed to  
10 ensure a uniform dispersion of the fine particles falling down on the conical wall above the annular horizontal area on the wall, i.e. the hatched area in the drawing, reached by the moist particles from the atomizer.

15 As it appears, the total process is performed without any re-wetting steps, including the conventional contact between fine particles and wet droplets near the atomizer, and this fact is reflected in the superior product qualities as explained above.

20 In the following, the invention is further illustrated by means of non-limiting embodiment examples and a comparison example.

#### Examples

25 The embodiment examples were performed in an integrated fluid bed dryer as the one shown in the drawing having internal flexible filters blowing back individually for particle release. The comparison example was performed in the same drying chamber but  
30 without internal filters. Instead fine particles were collected in a cyclone and recycled. Atomization was in all five examples made by means of a pressure nozzle. The conditions and results are summarized as follows:

Example	1	2	3	4	5
Product	baby food	baby food	whole-milk	whole-milk	whole-milk
Feed composition, % w/w:					
Water	49.8	51.9	51.3	51.3	51.3
Protein	5.9	5.6	13.4	13.4	13.4
Fat	14.1	13.5	13.0	13.0	13.0
Carbohydrates	28.7	27.5	19.1	19.1	19.1
Ash	1.5	1.5	3.2	3.2	3.2
Feed, °C	44	44	56	65	63
Feed, kg/h	38.5	35.0	34.5	39.3	38.5
Feed pressure, barg	27	18	38	18	19
Main air inlet, kg/h	445	545	550	550	550
Main air inlet, °C	194	180	185	180	182
Air outlet, °C	66	74	76	69	70
IFB air inlet, kg/h	251	264	249	227	240
IFB air inlet, °C	59	69	60	86	84
Dust separation	internal filters	internal filters	internal filters	internal filters	cyclone
Filter air load, m <sup>3</sup> /h/m <sup>2</sup>	175	208	186	193	
Filter ΔP, mm WG	37	34	37	36	
Cyclone ΔP, mm WG					150
Powder:					
Moisture, %	3.27	2.07	2.42	3.77	3.51
Bulk density not tapped, g/ml	0.48	0.45	0.52	0.35	0.40
Bulk density tapped 100 times, g/ml	0.54	0.50	0.65	0.41	0.49
Free fat, %			0.69	0.66	1.80
Particle size distribution:					
D <sub>10</sub> (< 10%), μm	107	180	65	167	142
D <sub>50</sub> (< 50%), μm	285	371	154	464	410
D <sub>90</sub> (< 90%), μm	517	619	400	724	702
Grains	1-2	2	1	2-3	5-6

As it appears, the tests comprised two examples (1 and 2) drying baby food and three examples (3, 4 and 5) drying whole-milk. The Examples 1-4 illustrate the process of the present invention, using flexible internal filters, whereas Example 5 is a comparison example performed according to prior art using an external cyclone for separating fine particles from the spent drying gas, and reintroducing the particles into the drying chamber near the atomizing nozzle.

The baby food powder produced in Example 1 has a D<sub>50</sub> value somewhat higher than what is found for the products presently marketed and at the same time the

rating for grains is at level with the ratings obtained when analyzing the best products in the market.

The baby food powder produced in Example 2 has a  $D_{50}$  value much larger than what can be found for products presently marketed. At the same time, the rating for grains is only very little inferior. Normally, such a high  $D_{50}$  value is only obtained by conducting fine particles back into the area near the nozzle whereby the amount of grains is increased corresponding to a rating of at least 4.

Examples 3 and 4 both produce whole-milk powder. Example 3 produces a powder less agglomerated than the baby food powder of Example 1, and Example 4 produces a powder even more agglomerated than the coarse baby food powder produced in Example 2. The ratings for grains suited into the pattern for relation of the grains rate to the degree of agglomeration deducible from the Examples 1 and 2. The variation of the agglomeration rates was mainly achieved by operating the nozzle at different pressures.

The comparison Example 5 was performed using the same whole-milk concentrate starting material as in Examples 3 and 4, the internal filters were omitted, and the fine particles entrained in the spent drying gas were separated in an external cyclone and recycled to the nozzle area. The degree of agglomeration was nearly as high as in Example 4 but as far as grains is concerned the product was much inferior.

Further it appears from the table that for the whole-milk powders produced in Examples 3 and 4 an unusually low value for free surface fat was obtained. The values were substantially lower than what was obtained in Comparison Example 5 indicating a more lenient treatment than the one in the Comparison Example.

## P A T E N T   C L A I M S

1. A process for producing a spray dried baby food, whole-milk or skim-milk product, comprising the following steps:

- 5        atomizing a liquid concentrate of baby food, whole-milk or skim-milk as droplets centrally into the upper part of a drying chamber of which at least the lower portion is defined by a downward tapering frusto-conical wall;
- 10        introducing drying gas at a temperature of 160-400° C downwards from the top of said chamber around the atomized droplets to partially dry these to moist particles and carry them in a downward widening direction;
- 15        maintaining a fluidized particle bed at a temperature of 45-80° C in the bottom of the drying chamber and/or in a lower extension thereof, by means of an upward stream of fluidizing gas for drying, classifying and agglomeration of the particles therein;
- 20        withdrawing a stream of gas comprising spent drying gas introduced at the top of the chamber and gas from said fluidized bed and at a temperature of 60-95° C from the chamber through flexible filter elements within said chamber, thereby settling fine particles
- 25        having been entrained by said stream on the surface of the filter elements;
- 30        releasing the fine particles settled on the flexible filter elements by short, moderate counter blows to cause them to fall down on the frusto-conical wall at a location at level with or above a horizontal ring-shaped area on said wall where the largest concentration of said moist particles would have reached said wall if no fine particles from the filter elements had fallen down thereon, from which location said fine

particles slide downwards along the wall as a covering layer to reach said fluidized particle layer;

withdrawing an agglomerated product from the fluidized bed fulfilling one of the following three combinations of agglomerate size distribution and grains rate (determined by the method of analysis described herein):

(i):  $D_{10}$  (< 10%): 50-100  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 150-225  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 350-450  $\mu\text{m}$  and grains = 1;

(ii):  $D_{10}$  (< 10%): 100-200  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 225-400  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 450-600  $\mu\text{m}$ , and grains: above 1 but below or equal to 2;

(iii):  $D_{10}$  (< 10%): 200-300  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 400-600  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 600-900  $\mu\text{m}$ , and grains: above 2 but below or equal to 3.

2. The process of claims 1, wherein the positioning of said flexible filter elements in the drying chamber and the release of fine particles settled thereon is performed to obtain a uniform dispersion of the fine particles falling down on the conical wall above the ring-shaped horizontal area on the wall reached by the moist particles from the atomizer.

3. The process of anyone of the claims 1 and 2, wherein the liquid concentrate is atomized using a pressure nozzle ejecting droplets in a cloud forming a hollow downward widening cone which, influenced by the drying gas, is directed towards the conical wall of the drying chamber.

4. An agglomerated spray dried baby food, whole-milk or skim-milk product produced by the process of claim 1 and fulfilling one of the following three



combinations of agglomerate size distribution and content of grains:

5 (i):  $D_{10}$  (< 10%): 50-100  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 150-225  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 350-450  $\mu\text{m}$  and grains = 1;


10 (ii):  $D_{10}$  (< 10%): 100-200  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 225-400  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 450-600  $\mu\text{m}$ , and grains: above 1 but below or equal to 2;

(iii):  $D_{10}$  (< 10%): 200-300  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 400-600  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 600-900  $\mu\text{m}$ , and grains: above 2 but below or equal to 3.

15 5. An agglomerated spray dried baby food, whole-milk og skim-milk product having an agglomerate size distribution and content of grains:  $D_{10}$  (< 10%): 100-200  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 225-400  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 450-600  $\mu\text{m}$ , and grains: above 1 but below or equal to 2.

20 6. An agglomerated spray dried baby food, whole-milk og skim-milk product having an agglomerate size distribution and content of grains:  $D_{10}$  (< 10%): 200-300  $\mu\text{m}$ ,  $D_{50}$  (< 50%): 400-600  $\mu\text{m}$ ,  $D_{90}$  (< 90%): 600-900  $\mu\text{m}$ , and grains: above 2 but below or equal to 3.

25



## INTERNATIONAL SEARCH REPORT

International application N .

PCT/DK 99/00612

## A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A23C 1/05, B01D 1/18

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A23C, F26B, B01D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0223509 A2 (DAURYMAN'S COOPERATIVE CREAMERY ASSOCIATION), 27 May 1987 (27.05.87), page 3, line 52 - page 4, line 4; page 5, line 19 - line 25; page 5, line 55 - page 6, line 31 --	1-6
A	EP 0378498 A1 (A/S NIRO ATOMIZER), 18 July 1990 (18.07.90), abstract --	1-6
A	US 5782010 A (A.C. BOERSEN ET AL), 21 July 1998 (21.07.98), column 4, line 63 - column 5, line 12; column 9, line 33 - line 54 --	1-6

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

\* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*&amp;\* document member of the same patent family

Date of the actual completion of the international search

20 July 2000

Date of mailing of the international search report

14.08.00

Name and mailing address of the ISA  
European Patent Office

Authorized officer

Inger Löfgren / MRo

Facsimile No.

Telephone No.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/DK 99/00612

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim N .
A	WO 9112074 A1 (APV PASILAC ANHYDRO AS), 22 August 1991 (22.08.91) --	1-6
A	WO 9714288 A2 (NIRO A/S), 24 April 1997 (24.04.97), abstract --	1-6
A	EP 0097484 A1 (A/S NIRO ATOMIZER), 4 January 1984 (04.01.84), abstract --	1-6
A	US 5446974 A (S.A. GUBLER), 5 Sept 1995 (05.09.95), abstract -- -----	1-6

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

02/12/99

International application No.  
PCT/DK 99/00612

Patent document cited in search report			Publication date	Patent family member(s)	Publication date
EP	0223509	A2	27/05/87	AU 578380 B	20/10/88
				AU 6488086 A	14/05/87
				CA 1269828 A	05/06/90
				DK 531286 A	08/05/87
				FI 85950 B,C	13/03/92
				FI 864496 A	08/05/87
				JP 62190042 A	20/08/87
				NZ 218108 A	29/04/88
				US 4657767 A	14/04/87
EP	0378498	A1	18/07/90	AU 623967 B	28/05/92
				AU 4776390 A	12/07/90
				DK 6889 A	10/07/90
				DK 160809 B,C	22/04/91
				IE 62024 B	14/12/94
				JP 3065233 A	20/03/91
				NZ 231952 A	25/09/91
				US 5100509 A	31/03/92
US	5782010	A	21/07/98	AU 684099 B	04/12/97
				AU 684420 B	11/12/97
				AU 5592696 A	09/01/97
				AU 5592796 A	09/01/97
				EP 0749769 A	27/12/96
				EP 0749770 A	27/12/96
				NL 1000611 C	00/00/00
				NL 1002909 C	00/00/00
				NZ 286837 A	24/06/97
				NZ 286838 A	26/02/98
				US 5782011 A	21/07/98
WO	9112074	A1	22/08/91	AT 98521 T	15/01/94
				AU 7258991 A	03/09/91
				DE 9117284 U	15/07/99
				DE 69100807 D,T	05/05/94
				DK 39890 D	00/00/00
				DK 515478 T	25/04/94
				EP 0515478 A,B	02/12/92
WO	9714288	A2	24/04/97	AU 1871297 A	07/05/97
				DK 9700078 U	09/05/97
EP	0097484	A1	04/01/84	DK 157053 B	06/11/89
				DK 267082 A	15/12/83
				US 4490403 A	25/12/84
US	5446974	A	05/09/95	AU 2394495 A	18/11/96
				CA 2218757 A	31/10/96
				EP 0859658 A	26/08/98
				JP 10507968 T	04/08/98
				WO 9633793 A	31/10/96